Smoking Cessation Leadership Center



University of California San Francisco

Tobacco Cessation Under Siege: Industry Reinvention, Federal Setbacks, and California's Lessons in Resilience

- Timothy McAfee, MD, MPH, Professor in the Department of Behavior & Social
 Sciences at the University of California San Francisco
- April Roeseler, BSN, MSPH, Former Branch Chief of the California Tobacco Control Program, in the California Department of Public Health Control
- Pamela M. Ling, MD, MPH, Professor of Medicine and Director of the Center for Tobacco Control Research and Education at the University of California San Francisco

Moderator

Catherine Bonniot

Executive Director
Smoking Cessation Leadership
Center
University of California, San
Francisco

Catherine.Bonniot@ucsf.edu

Disclosures

This UCSF CME activity was planned and developed to uphold academic standards to ensure balance, independence, objectivity, and scientific rigor; adhere to requirements to protect health information under the Health Insurance Portability and Accountability Act of 1996 (HIPAA); and include a mechanism to inform learners when unapproved or unlabeled uses of therapeutic products or agents are discussed or referenced.

All speakers, planning committee members, and reviewers have disclosed they have no relevant financial relationships to disclose with ineligible companies whose primary business is producing, marketing, selling, re-selling, or distributing healthcare products used by or on patients.

Catherine Bonniot, Christine Cheng, Brian Clark, Pamela M. Ling, MD, MPH, Jennifer Matekuare, Timothy McAfee, MD, MPH, Ma Krisanta Pamatmat, MPH, CHES, April Roeseler, BSN, MSPH, Jessica Safier, MA, Jason Satterfield, PhD, and Maya Vijayaraghavan, MD, MAS.



Thank You to Our Funders















Housekeeping

- All participants will be automatically muted and the audio will be streaming via your computers, when you join the webinar.
- Please make sure your computer speakers are on and adjust the volume accordingly.
- All participants cameras will be off when you join the webinar.
- This webinar is being recorded and will be available on SCLC's website, along with a PDF of the slide presentation. As well a transcript will be posted to the website.
- Use the Q&A box to send questions at any time to the presenters.
- Closed captioning is available for this presentation. You can turn on this service on the Zoom menu bar at the bottom of your screen.
- Please provide feedback by completing our evaluation at the end of this webinar.



CME/CEU Statements

Accreditations:

In support of improving patient care, the University of California, San Francisco is jointly accredited by the Accreditation Council for Continuing Medical Education (ACCME), the Accreditation Council for Pharmacy Education (ACPE), and the American Nurses Credentialing Center (ANCC), to provide continuing education for the healthcare team.

UCSF designates this live activity for a maximum of 1.5 AMA PRA Category 1 Credits[™]. Physicians should claim only the credit commensurate with the extent of their participation in the webinar activity.

Advance Practice Registered Nurses and Registered Nurses: For the purpose of recertification, the American Nurses Credentialing Center accepts AMA PRA Category 1 CreditTM issued by organizations accredited by the ACCME.

Physician Assistants: The National Commission on Certification of Physician Assistants (NCCPA) states that the AMA PRA Category 1 CreditTM are acceptable for continuing medical education requirements for recertification.

California Pharmacists: The California Board of Pharmacy accepts as continuing professional education those courses that meet the standard of relevance to pharmacy practice and have been approved for AMA PRA category 1 CreditTM. If you are a pharmacist in another state, you should check with your state board for approval of this credit.

California Psychologists: The California Board of Psychology recognizes and accepts for continuing education credit courses that are provided by entities approved by the Accreditation Council for Continuing Medical Education (ACCME). AMA PRA Category 1 CreditTM is acceptable to meeting the CE requirements for the California Board of Psychology. Providers in other states should check with their state boards for acceptance of CME credit.



CME/CEU Statements Continued

Psychologists: Continuing Education (CE) credits for psychologists are provided through the cosponsorship of the American Psychological Association (APA) Office of Continuing Education in Psychology (CEP). The APA CEP Office maintains responsibility for the content of the programs.

Up to 1.5 CE Credits may be claimed.

Social Workers: As a Jointly Accredited Organization, UCSF Continuing Education is approved to offer social work continuing education by the Association of Social Work Boards (ASWB) Approved Continuing Education (ACE) program. Organizations, not individual courses, are approved under this program. Regulatory boards are the final authority on courses accepted for continuing education credit. Social workers completing this course receive 1.5 general continuing education credits.

Interprofessional Continuing Education Credit (IPCE): This activity was planned by and for the healthcare team, and learners will receive 1.5 Interprofessional Continuing Education (IPCE) credits for learning and change.

California Addiction Professionals: The California Department of Healthcare Services (DCHS) recognizes up to 10 hours of continuing education from a non-accredited provider. If you are a provider outside of California, please check with your state board for your credit policy.



Today's Presenter

Timothy McAfee, MD, MPH
Professor in the Department of
Behavior & Social Sciences

University of California San Francisco



Today's Presenter

April Roeseler, BSN, MSPH Former Branch Chief of the California Tobacco Control Program

California Department of Public Health



Today's Presenter

Pamela M. Ling, MD, MPH
Professor of Medicine and Director of
the Center for Tobacco Control
Research and Education

University of California San Francisco



Smoking Cessation Leadership Center



University of California San Francisco

Framework Introduction

 Catherine Bonniot, Executive Director, Smoking Cessation Leadership Center, University of California San Francisco

Murder on the DOGE Express:

What the Destruction of CDC's Office on Smoking and Health Means for Cessation



Tim McAfee, MD, MPH
Professor (Adjunct)
University of California, San Francisco
tim.mcafee@ucsf.edu

Former Director,
Office on Smoking and Health CDC

Chair,
WHO Tobacco Cessation Guideline
Development Group




advancing health worldwide

Background of the Office on Smoking and Health

1965 – Founding Roots: The *National Clearinghouse for Smoking and Health* following the 1964 Surgeon General's report.

1978–1980 – Transition to CDC: OSH established in 1978 and transferred to the CDC in 1980.

Mission and Vision: Lead strategic public health efforts to end commercial tobacco use and exposure, striving for a world free from tobacco-related disease, disability, and death.






On April 1, 2025:

200 OSH FTE and contractors terminated **\$200+ million** in program funding:

Discontinued or on chopping block










WHY OSH?





IT'S A MYSTERY!

Main Programs of the Office on Smoking and Health


National Tobacco Control Program ~ \$86 million/year

Tips from Former Smokers media campaign ~ \$60 million



Quitline Network (supported by both) ~\$16 million





The Risk from Losing the National Tobacco Control Program is Enormous

The National and State
Tobacco Control
Program to 50 States,
DC, Puerto Rico, and
Guam

9 National Networks Addressing Tobacco Related Disparities

8 Island Tobacco Control Awards Cessation Technical Assistance Awards

Tobacco Control Network through ASTHO Menthol Capacity
Building in 8 Local
Communities

Asian Smokers

Quitline

Support to Good Health & Wellness in Indian Country

HTTPS://cdc.gov/tips






How to Quit Smoking

It's never too late to quit smoking. Find free resources to start your quit journey today.




Quit-smoking Medicines

Learn about new ways medicines could help you more than double your chance of success.



Diseases and Conditions

Learn how smoking affects illnesses and conditions.



Tips Impact and Results

Learn how more than 1 million people quit smoking because of the *Tips*® campaign.



About the Campaign

Overview and answers to frequently asked questions.



FOR MORE INFORMATION ON HOW TO QUIT SMOKING

Call 1-800-QUIT-NOW Visit CDC.GOV/TIPS





U.S. Department of Health and Human Services Centers for Disease Control and Prevention

What you can expect when you call a quitline.



40,000





Additional Programs of the Office on Smoking and Health


Surveillance/Epidemiology

- Involved with 12+ national surveys
- Global Adult & Youth surveys



Policy, Liaison & Convening

- With other government agencies
 (CDC, State Health Depts, FDA, NCI, HHS, CMMS, USPSTF, ATF, EPA, etc.)
- With non-governmental organizations
 (ACS, CTFK, ALA, AHA, AMA, RWJF, Healthplans, Truth Initiative, Academia)



Cessation-specific Support by Office on Smoking and Health

Surveillance/Epidemiology


- Cessation-relevant question sponsorship & upkeep
 - Advice, quitting intention, use patterns
- Equity gap identification

Health Systems Change Support

- State agreements for training, tech assistance
- Work with disparity-impacted health systems
 - i.e AI/AN, behavioral health
- Tech support for NCQA/HEDIS

Health Insurance

- ACA, CMMS (Medicare, Medicaid coverage), Private




Additional Programs of OSH: Surgeon General's Report Production

The Health Consequences of Smoking—50 Years of Progress

A Report of the Surgeon General




U.S. Department of Health and Human Services



Jerome Adams
Surgeon General:
Trump Appointee











Center for Tobacco Products

Office an aguinent
Office an aguinent
Entre eam.

NIH cuts billions of dollars in biomedical funding, effective immediately

Researchers say it would hurt facilities that work on medical issues such as cancer research and heart c Musk contends the old policy was "a ripoff."


Updated February 8, 2025



A cancer research lab at the Gunderson Institute in LaCrosse, Wisconsin. Virtually all universities and medical research centers across the country would be affected by the grant cuts. (Ryan Christopher Jones for The Washington Post)

NIH - Research

- Slashed Indirect Rate
- Research grants defunded
- "DEI" research defunded



Surveillance & "other"

- SAMHSA- NSDUH
- BRFSS, NHIS, MTF, YRBSS
- NCI 1-800 QUITNOW & texting portals



THR 101

Understand the Science

The Policy Need for THR

THR is one of the most important public health movements in America.

Download Our THR White Paper




Reynolds American believes Tobacco Harm Reduction (THR) is an opportunity to benefit the public health. The goal of THR is to educate adults who smoke cigarettes about nicotine product alternatives, and to encourage adult smokers to switch if they are uninterested in quitting tobacco altogether.

Science Led Policy

Adult Smoker Choice

Youth Access Prevention



20th Century Marlboro Man

SAME HAT!

21st Century IQOS Man



Tobacco cartels are entering the "cessation" market with their own approach:

- Medscape, top world provider of CME
- PMI provided \$2.9 million to develop cessation CME
- Developed by a professor with an endowed chair from US Smokeless
- Focus (surprise) is on Switching






Feature » BMI Investigation

Medscape caves in on courses funded by tobacco giant Philip Morris, while medics fear global push into medical education

BMJ 2024; 385 doi: https://doi.org/10.1136/bmj.q948 (Published 26 April 2024) Cite this as: BMJ 2024;385:q948

Linked Editorial



The medical education provider Medscape has bowed to pressure and agreed to permanently remove a series of accredited medical education courses on smoking cessation funded by the tobacco industry giant Philip Morris International (PMI), The BMJ and The Examination have found. Medscape has acknowledged its "misjudgment" in a letter to complainants and says that it will not accept funding from any organisation affiliated with the tobacco industry in the future.



Medscape CME & EDUCATION


Question 3 of 4

Marco is a 41-year-old man who smokes ~1 pack of cigarettes/day. His father, who was also a smoker, recently died of lung cancer. Marco would like to reduce his risk of cancer and asks you how to best achieve that.

Considering available clinical evidence, what should you tell him?

- Onsider switching to pipe smoking
- Onsider switching to e-cigarette smoking
- Reduce cigarette consumption to a half a pack of cigarettes per day





OSH Current Status Review:

- OSH FTE and contractors still terminated
- NTCP funding for states just awarded through April 2026
- After April: very unlikely
- Surveillance ~ "OK" 2026
- Tips campaign: very uncertain
- Future surveillance, Surgeon General Reports, Tech Assistance, etc.: Sigh

Why OSH demise is bad news for tobacco control and prevention

- Elimination won't Make America Healthy Again
 - Half a million preventable deaths/year
 - \$600 billion/year economic burden
- Elimination increases corporate influence
 - Tobacco industry promotion: ~ \$10 billion/year
 - OSH budget = <2.5% of industry promotion
- Major loss to federal/state tobacco control ecosystem
 - Funding
 - Technical support to states & private sector
 - Convening, trend tracking, a voice in wilderness





Why OSH demise & federal weakening is bad news for cessation specifically

- Public cessation infrastructure at significant risk:
 - Quitlines & digital cessation support
 - Health systems integration & insurance regulation
 - Communications dose decrease
- Scientific/clinical/regulatory progress at risk:
 - Cutbacks/staffing reductions puts surveillance beyond 2026 at risk
 - Aggressive product regulation (menthol, denicotinization, etc.)
- Cessation narrative at risk for Tobacco Industry Capture
- Quit success not just about formal cessation treatment
 - Influenced by policies, programs and environment





What is to be done? (not all gloom and doom)


- States, local & private sector have been here before
 - Sub-national implementation and innovation key
- Educate policymakers in government/private sector:
 - Benefits of OSH's functions
 - Work like hell *together* to fill the breach
 - (states, localities, healthcare, NGOs)
- Continue addressing tobacco-related disparities
- Denormalize commercial tobacco and nicotine industry role in cessation/treatment






Cigarette sales and lung cancer mortality in the US





Data sources: International Smoking Statistics (2017); WHO Cancer Mortality Database (IARC). The death rate from lung-cancer is age-standardized.

OurWorldinData.org – Research and data to make progress against the world's largest problems.



LESSONS IN RESILIENCE FROM THE CALIFORNIA TOBACCO PREVENTION PROGRAM

Presented by April Roeseler

October 29, 2025

1988: A Public Health Revolution Begins



Tobacco tax increases from 10¢ to 35¢ per cigarette pack and directs 5¢ (20%) of the revenues for a tobacco control program.

- 36 years of boldness, innovation
 & success
- Thrived despite internal & external attempts to dismantle and "defang" the Program
- A rich history of local, state, and organizational leadership

April 10, 1990: Landmark Media Campaign Launched

- "Today a surprising number of us can tell you that cigarettes are our #1 preventable cause death and disability."
- "So we seem to know about the smoke. But what about the really dangerous stuff – all those carefully polished, fatal illusions the tobacco industry has crafted to mess with our minds so they can mess with our lives."



22:E1 8661-32-4790/24 NO.1415 P. 3

I STREET, NORTHWEST WASHINGTON, DC 18008 2014574800 1 600424-957

KURT 1. NIALMO Senior Vice Prod Size Activ

MEMORANDUM

1998 10:31AM

April 18, 199

TO:

Samuel D. Chilcote, Jr.

TROM

Kurt L Malmgren /2 // //

SUBJECT: California's Anti-Tobacco Advertising Campaign

We developed the following strategies to meet our goal of eliminating Prop 99 media money:

- Encourage the California legislature to intervene;
- Cooperate with minority, business and other groups in developing their opposition to the advertising program;
- Convince Health Services Director Kizer to pull or modify the current advertisements:
- Encourage the Governor to intercede against the campaign.

After analysis from our California team, it is clear that our efforts should cent on the first two strategies, with the hope that these efforts can have some effect or are other two strategies.

The reasons for this approach are (1) Dr. Kizer is not likely to the or modify the ads without strong pressure from the Administration; (2) as a "pot duck," the Governor is not likely to get into a public sparring match with Dr. Kizer, even though he disagrees with the Department of Health Services attack approach with the anti-tobacco advertisements.

Nevertheless, sentiment from several California publics — while not favoring tobacco — not favorable to the approach taken in the advertising campaign. Editorials against the campaign have already been published in Orange County, the minority press in San Francisco and Sacramento, and elsewhere.

Television stations in Los Angeles (KABC) and San Francisco (KPDX) have rejected all or part of the Department's campaign as "inflammatory." And as <u>Advertising Age</u> noted in an April 16 editorial on the Industry Spokesman' ad, "Who's sponsoring this ad? The state of California or the Rev. Louis Farrakhan... There is something foul on their air fread: California airways!."

April 18, 1990:Tobacco Industry Launches a Torpedo

- Encourage CA Legislature to intervene
- Cooperate with minority businesses in developing the opposition advertising program
- Convince Dr. Ken Kizer to pull or modify the current ads.
- Encourage the Governor to intervene.




Speaking the Truth About the Tobacco Industry

"There is no valid defense in support of smoking, and frankly, we feel no compulsion to bend over backwards to spare the feelings of those persons who encourage and promote a known lethal activity and dangerous drug addiction."

> Kenneth W. Kizer, Director and State Health Officer 1990 Congressional Testimony

Health Education Funds Diverted to Direct Health Care Services



Lawsuits 1992 -1994: ALA, AHA, ACS, ANR

Health Officer Chester Ward Muzzled for Speaking in Favor of Local Smoke-free Air Policy

DROVILLE CALIFORNIA

County shifts Ward's role on tobacco

By Orest Brancos winted the state of the state of

State Coasty Stadts Stewar St. Obtain Ward has been purchased from pronuments in tellence regubeing deare to the course.

Is action, protein regarding profess understant face face debat tree de Meste Departmen in the property's administration of the

Acting its effection from dofrost of Aspervisors, Newton County Apparentements Officer dos-Fourte upd for office had exceeded. tell obtact of tokens reprison-

Nor said in Croomy Studio (Agreement will be south fishered-oufeelits effectation inners, which will MINISTER STREET, NO SERVICE STREET, NO.

Brown anth Nard and the Stuarts Populations will admitted in both fall etopositholog for the tenacos eclaration property, mandated by dismore englis ffrequenciore dir uniqueza. metas fooding expoimences

Strawess, durante about when wit or will see to regulated will. Hith. 25 shat annitogles-conduccodes not all the countr's Ad-

"There's coding positive as this



Dr. Cheater Ward

charge to exposedates." Scoon seed. "We receive a challbrations as a with suff-for splitting the fermal devaluates

Browns qual members of etc toper Distance standarded and did logbearing granostic by section on obstar years. The trust dictors policy gaveness densit to builder

Suo Wildell, Properties

WARD

Southwest their rage & 1 through my upons staticageairs.

"No. 9 or sprops to others procession set vineson huprelinfulies much once the lesses," Decrees and

Attach, as pan-consister arelys is you'd frequences too aggreens as tes office, or brad op antecoor engry a sensor classes meaning th Physikan more trace following a received up formetty and Anti-Patellin and with Viterior Monder of prepara.

Treed had been amadebol to good on artesas suchannos Mine dies betwee Brass Coupey Chicago day Berngmandisin Systemphones, at Rentll grad of materia screens.

Reserver. In Assaul appropried to Must's plan. By radiated that 4 steb is responsibility for amobiley regulation had three plant in impo or governory and the Euclide Department administration would so taken to bedietd it smiling profitmency fromth.

been emetion if the group in properly daugenteenen the first void ain to graph things by haf ervera troofs postore to this american for schools.

William Colomos of Foundation potesioned in Americ error der gen of Rosp. At Duading the rest-educal most molecus, such as company orthogous endorposers and endorth artifications observationaring or Para.

Week to accessingly your gallity beams flit from bacons do matter and short groups for using allows solds steen regated for more teller on the country's strike.

school educate propose to present tending has delegate

The existing his continuous facmartine a some-times plack in Pageemploy regulates on living after than wine or obversy measure on the car's amoney reference in ward for do hobbel March 15.

Common skill as ampliques of due paraphtes is tong of the enesting

it. Agusta said be would make a 404 of spentrum educating de ser of Prop. 50 familing and would

Arribating 4thermous slingward ro de Menory-Region don de-Thosa Department schools dutcreary resolved assets \$76,000 to Freq. 49 forth owns the first stop. control of the cheek year.

the of the paymen, employ NOTITED your volumes and benefits of versi eyess do the Blooks. Deposireceive to Trabayean districtable Propiets

19 the approximately \$25,000 sense back HLATTE care apparent depthy on observational mesonals. where death of the propers were uponly 160-9076 MARKING VAN HERSEN.


The key associate was whether as on 12,140.37 gad or a redr mrescourse officer use of Perp. 188 Passelo sego a larged water of this standard fix iterate skill be proteoud to gode

that become along as Bernare, Wed we available fix can



March 1992


1993: Former Tobacco Industry Spokesperson Picked to Lead State Health Department





1994-1998 Smoke-Free Workplace Saga

Accommodation Strategy



November 1994

Los Angeles Times

Some Would Rather Fight Than Switch to Smoking Ban: Tobacco: California's tough new workplace law touches off both rebellions and philosophical acceptance.

January 04, 1995 | STEPHANIE SIMON and NORA ZAMICHOW | TIMES STAFF WRITERS

Inside her El Segundo office, Cindy Mortesen snapped her purse shut only seconds after reaching for a cigarette Tuesday, remembering it was 1995--a year of infamy for California's smokers.

The state's 4-day-old anti-smoking law, one of the strongest in the nation, bans lighting up in most indoor workplaces, including restaurants.


"I could get real cranky over this," said Mortesen, El Segundo's city clerk, who by noon had already stepped outside City Hall once for a couple of quick drags on a cigarette. "Smokers are losing more and more rights."



January 1995

January 1998

APRIL 1, 2003: R.J. REYNOLDS VS. DIANA M. BONTA, DIRECTOR



The Saga of California's Flavored Tobacco Product Ban



Flavor Ban August 2020




Los Angeles Times

Voters
Approve
Flavor
Ban
November
2022


California Says New Cigarettes Appear to Violate State's Flavored Tobacco Ban




Tobacco Industry
Caught Cheating
2023 - 2024



Unflavored
Tobacco
Products List
Regs Finalized
September
2025



A FEW THOUGHTS ON PROGRAM RESILIENCY



"FAILING TO PLAN IS PLANNING TO FAIL."

Alan Lakein, Author of How to Get Control of Your Time and Your Life

Know & Stick to Your Program's Core Beliefs



What we stand for as an organization and why we exist:

- Change tobacco-related social norms
- Expose the Tobacco/Vape Industry's role in tobacco use uptake & maintenance
- Empower local decision making through community participation
- Recognize & maintain respect for cultural diversity
- Evaluate, Evolve & Innovate

Know Process & Procedures



- Enabling Legislation
- Lawsuit History
- Budget Process
- Review & Approval Process
- Substantiate Your Messaging
- Personnel Policies
- Conflict of Interest

Where are you Going & How Will You Get there?

Direct Approach




Indirect Approach



"Chance favors a prepared mind."

Louis Pasteur, French Chemist and Microbiologist









January/February 2015

Report & Media Campaign August 2019 EVALI Outbreak September 2019
Vaping Executive
Order


November 2019
Vaping Media
Campaign

Budget Considerations




This Photo by Unknown Author is licensed under CC BY-SA

- What functions are legally required?
- Agree on basic percentages for budget categories: Media, Local Health Departments, Grants, Evaluation, & Administration
- Plan for what you look like at your current budget, 10%, 20%, 50% reduction
- Diversify Funding: Tobacco Tax, Medi-Cal, First Five, SAMHSA Block Grant, Settlements, CDC, etc.
- Multi-Year Spending Authority –funds available for encumbrance & expenditure 3 years beyond appropriation (H&SC 104466)



Ambiguity is your friend

Condoms	Prevention Materials
Advocacy	Information & Education
Diversity, Equity & Inclusion	Populations & Areas with Unmet Needs
Media Campaign Anti-Industry Strategy	Evidence-based Strategies
Legislation	Policy
Mini-grants	Community Engagement Agreement



Constituency Group Communication

- Develop & Maintain Informal
 Communication Methods
- Capitol Information & Education Days
- Youth Quest
- District Days
- Council Meeting Testimony



Build Your Program Brand

- Publish in Peer Reviewed
 Publications
- Garner Awards
- Nurture Academic Relationships
- Build Accountability at the local and state levels

Anthem for the Work Ahead


Step by step, the longest march can be won, can be won

Many stones can form an arch, singly none, singly none

And by union what we will, can be accomplished still

Drops of water turn a mill, singly none, singly none

Step by Step Sweet Honey & the Rock



Evolving Tobacco Products and Impact on Cessation in Young People

October 29. 2025

Pamela Ling, MD MPH
Professor of Medicine
Director Center for Tobacco Control Research and Education



Disclosures



- Research funded by National Institutes of Health
- Tobacco Related Diseases Research Program
- Images of commercial products shown for educational purposes under fair use
- I do not endorse the use of any of these products
- Advertising image source: Stanford Research into the Impact of Tobacco Advertising (SRITA)
- Thanks to Jeremiah Mock, PhD





Dr. David Kessler - 1997

Nicotine addiction begins
when most tobacco users are
teen-agers, so let's call this
what it really is: a pediatric
disease.



Kessler, D. Nicotine addiction: A pediatric disease The Journal of Pediatrics, Volume 130, Issue 4, 518 – 524. Photo by Flickr user Valentin Ottone





Younger adults are the only source of replacement smokers. Repeated government studies (Appendix B) have shown that:

- Less than one-third of smokers (31%) start after age 18.
- Only 5% of smokers start after age 24.

Thus, today's younger adult smoking behavior will largely determine the trend of Industry volume over the next several decades. If younger adults turn away from smoking, the Industry must decline, just as a population which does not give birth will eventually dwindle. In such an environ-


introduction, with no cannibalization and no development/introductory

As a company, Philip Morris held more than 60% of these 18-year-olds in 1983 versus RJR's 15-20%, yielding PM a .5 point in-going SOM advantage due only to "new" smokers.

^{*} This assumes 18-year-olds are 10% of the 18-24 group rather than a "fair share" of 14% because of population decline and the fact that some smokers start after age 18.









United States Department of Health and Human Services. 1994 Source: National Library of Medicine. https://profiles.nlm.nih.gov/101584655X63



Florida Truth campaign in 1998












FIGURE 1—The "truth" Campaign's "Body Bags" ad.





More truth = less smoking

Percent Change in Smoking Prevalence among High Schoolers



Source: NYTS Panel Data 2002



Tobacco Industry Denormalization and Smoking Behavior



- Taking a stand against smoking is important to me
- I want to be involved with efforts to get rid of cigarette smoking
- I would like to see cigarette companies go out of business

Current smoking OR = 0.38 (0.24-0.60)

Intent to Quit OR = 4.43 (2.18 - 8.6)



FDA's The Real Cost

Launch February 2014

Reduced smoking initiation

Dose-response effects

Prevented 380,000 – 587,000 youth from starting






















U.S. Current Cigarette Smoking and Current E-Cigarette Use (Vaping) among High School Students, 1975 to 2023



Thanks to: Jeremiah Mock Source: Monitoring the Future, 2024



When we say we have nothing to wear, never try to convince us otherwise.




© Philip Morris Inc. 1998 8 mg "tar," 0.7 mg nicotine av. per cigarette by FTC method.


SURGEON GENERAL'S WARNING: Smoking Causes Lung Cancer, Heart Disease, Emphysema, And May Complicate Pregnancy.



29/10/2025







Source: SRITA








Figure 2. Plasma Nicotine Levels after a Smoker Has Smoked a Cigarette, Received Nicotine Nasal Spray, Begun Chewing Nicotine Gum, or Applied a Nicotine Patch.

The amount of nicotine in each product is given in parentheses. The pattern produced by the use of the nicotine inhaler (not shown) is similar to that for nicotine gum. Modified from Garrett et al.¹²

Nicotine Salts


- Different acids added to liquids for e-cigarette devices
- Increase palatability and product appeal
- Allow higher nicotine concentration





Pharmacokinetics of Nicotine Salts





Christen SE, Hermann L, Bekka E, Vonwyl C, Hammann F, van der Velpen V, Eap CB, Benowitz NL, Haschke M, Liakoni E. Nicotine Tob Res. 2024 Sep 23;26(10):1313-1321.



High Nicotine Products

Bigger, Stronger & Cheaper



1 pod = 200 puffs1 pack of Cigarettes



1 unit = 6000 puffs30 packs of Cigarettes





IQOS - Heated tobacco


"Heated Tobacco Products" or "Heat-not-burn" by Philip Morris/Altria

Heating blade or induction heats tobacco stick up to 350 degrees C

Tobacco stick

Leads global heated tobacco product market – in 84 markets

- July 2020 FDA authorized marketing as "reduced exposure"
- Nov 2021 sales and imports stopped in USA due to patent lawsuit
- PMI and BAT settlement, marketing restarted in 2024





Young man smoking IQOS HTP



Thanks to: Jeremiah Mock





















Young female TikTok creator in the Middle East

"I'm just a girl in the world" (music by Gwen Stefani)

Thanks to: Jeremiah Mock



Oral Nicotine Products















Zyn Is the New Vaping

6 MINUTE READ



Thanks to: Jeremiah Mock

Cases of Zyn nicotine pouches in New York City on Jan. 29, 2024. Michael M. Santiago—Getty Images

"THE BENEFITS OF ZYN" on TikTok May 9, 2024



Warning: You, a public health worker, are going to be called a "misinformation m-f#ck-er"

Creator: comedian in Los Angeles

Thanks? To Jeremiah Mock

ķ

BMJ Global Health

Pharmaceuticalisation as the tobacco industry's endgame


Yogi Hale Hendlin,^{1,2} Elieen Le Han,² Pamela M. Ling © ²







Pharmaceutical Exploration



Function of "Pharmaceuticalization"




- Normalize nicotine
- New products appear more like pharmaceuticals or NRT without evidence
- Ideally with government sanction, endorsement
- Reframe the tobacco industry as part of the solution



Global Drive Brands	4	Market Footprint
v use	OSDAN OS	63 markets where our Vapour products are currently available
910		31 markets where our HPs are currently available
ΨELO	VE VELO EUCALYPTUS STORM	34 markets where our Modern Oral products are currently available
GRIZZE	WARNING THIS protect can case gum disease and touth loss.	3 markets where our Traditional Oral products are currently available
DUNHILL PAIL MALL GOOD	Who have the same of the same	Newport Alertan SPIRIT



BAT Unit Sales Data 2023










Quitting smoking before age 30 avoids most morbidity/mortality

- Young adults are equally likely to try to quit
- Most quit attempts are unplanned and unassisted






Type of Past Month Tobacco Product Use or Nicotine Vaping: Among Past Month Nicotine Product Users Aged 12 or Older; 2023





Kick It CA - California Quitline



Includes Vaping





A Program Designed for You







Quitting Vapes



Teen.smokefree.gov



Quit Vaping

Quitting can be tough, but you are tougher. Use our info and resources to quit vaping and stay vape-free.









Truth Initiative Vaping Cessation Program

Texting chatbot

Young Adults
Abstinence 24.1% intervention vs 18.6% control
OR 1.39 p< 0.001

Adolescents
Abstinence 37.8% intervention vs 28% control
Relative risk 1.35 P < .001





Quit Tobacco on Social Media



Quit the Hit is an Instagram-based program We provide social support for young people who want to quit tobacco



JAMA | Original Investigation

Varenicline for Youth Nicotine Vaping Cessation A Randomized Clinical Trial



A. Eden Evins, MD; Corinne Cather, PhD; Harrison T. Reeder, PhD; Bryn Evohr, BS; Kevin Potter, PhD; Gladys N. Pachas, MD; Kevin M. Gray, MD; Sharon Levy, MD; Nancy A. Rigotti, MD; Vanessa Iroegbulem, BA; Jason Dufour, BS; Kelly Casottana, BS; Meghan A. Costello, PhD; Jodi M. Gilman, PhD; Randi M. Schuster, PhD

Youth 16 to 25 near daily vaping & not regularly smoking

- 12 week of varenicline plus counseling
- Placebo with counseling
- Counseling only

At 4 weeks 51% vs 14% abstinence p<0.001 Week 8 to 24 28% vs 4% abstinence p<0.001




Truth campaign also reduces e-cigarette use

Reducing e-cigarette use among youth and young adults: evidence of the truth campaign's impact

Elizabeth C Hair, 1,2,3 Jennifer M Kreslake , 1,2 Shreya Tulsiani , 1 Tatum McKay, 1 Donna Vallone , 1,2,3


- 69% of sample aware of Truth ads
- Higher awareness associated with decreased e-cigarette use
- Dose response effect







Create a Problem Then Sell the Solution











The Bottom Line



Youth smoking reduction is a big success

This is in spite of new products not because of new products

Tobacco Industry Denormalization is powerful and effective

New efforts to support cessation of new products are needed

We need to address the root cause of the problem



UCSF Center for Tobacco Control Research and Education

QQA



CME/CEU Statements

Accreditations:

In support of improving patient care, the University of California, San Francisco is jointly accredited by the Accreditation Council for Continuing Medical Education (ACCME), the Accreditation Council for Pharmacy Education (ACPE), and the American Nurses Credentialing Center (ANCC), to provide continuing education for the healthcare team.

UCSF designates this live activity for a maximum of 1.5 AMA PRA Category 1 Credits[™]. Physicians should claim only the credit commensurate with the extent of their participation in the webinar activity.

Advance Practice Registered Nurses and Registered Nurses: For the purpose of recertification, the American Nurses Credentialing Center accepts AMA PRA Category 1 CreditTM issued by organizations accredited by the ACCME.

Physician Assistants: The National Commission on Certification of Physician Assistants (NCCPA) states that the AMA PRA Category 1 CreditTM are acceptable for continuing medical education requirements for recertification.

California Pharmacists: The California Board of Pharmacy accepts as continuing professional education those courses that meet the standard of relevance to pharmacy practice and have been approved for AMA PRA category 1 CreditTM. If you are a pharmacist in another state, you should check with your state board for approval of this credit.

California Psychologists: The California Board of Psychology recognizes and accepts for continuing education credit courses that are provided by entities approved by the Accreditation Council for Continuing Medical Education (ACCME). AMA PRA Category 1 CreditTM is acceptable to meeting the CE requirements for the California Board of Psychology. Providers in other states should check with their state boards for acceptance of CME credit.



CME/CEU Statements Continued

Psychologists: Continuing Education (CE) credits for psychologists are provided through the cosponsorship of the American Psychological Association (APA) Office of Continuing Education in Psychology (CEP). The APA CEP Office maintains responsibility for the content of the programs.

Up to 1.5 CE Credits may be claimed.

Social Workers: As a Jointly Accredited Organization, UCSF Continuing Education is approved to offer social work continuing education by the Association of Social Work Boards (ASWB) Approved Continuing Education (ACE) program. Organizations, not individual courses, are approved under this program. Regulatory boards are the final authority on courses accepted for continuing education credit. Social workers completing this course receive 1.5 general continuing education credits.

Interprofessional Continuing Education Credit (IPCE): This activity was planned by and for the healthcare team, and learners will receive 1.5 Interprofessional Continuing Education (IPCE) credits for learning and change.

California Addiction Professionals: The California Department of Healthcare Services (DCHS) recognizes up to 10 hours of continuing education from a non-accredited provider. If you are a provider outside of California, please check with your state board for your credit policy.



Post Webinar Information

- Please provide feedback by completing our evaluation at the end of this webinar
- You will receive the following in our post webinar email:
 - Webinar recording
 - Instructions on how to claim FREE CME/CEUs
 - Information on certificates of attendance
 - Other resources as needed
- All information will be posted on our website at <u>SmokingCessationLeadership.ucsf.edu</u>











Save the Date! SCLC's Next Live Webinar

"Building a System That Helped 300,000 People Quit Smoking"

with Dr. Renee Fogelberg, Northern California Kaiser Permanente

Tuesday, December 2, 2025 | 2:00 – 3:00 pm ET



Contact Us

We offer free technical assistance!

- Visit us online at: <u>SmokingCessationLeadership.ucsf.edu</u>
- Call us toll-free at 1-877-509-3786





@SCLC_UCSF



Linkedin.com/company/sclc-ucsf



Thank You



University of California San Francisco

SmokingCessationLeadership.ucsf.edu

Call us toll-free at 1-877-509-3786